

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/306,688	05/06/1999	OLIVER T. BAYLEY	INT1P027	3807	
21912 VAN PELT Y	7590 01/19/2007 I & JAMES LLP	EXAMINER			
10050 N. FOO	THILL BLVD #200		BROWN, V	ERNAL U	
CUPERTINO, CA 95014			ART UNIT	PAPER NUMBER	
			2612	<u>-</u>	
SHOPET STATIFOR	AN BEDIOD OF BEEDONET	MAIL DATE	DELIVER	V.MODE	
SHUKTENED STATUTUR	RY PERIOD OF RESPONSE	MAIL DATE	DELIVER	DELIVERY MODE	
3 MO	NTHS	01/19/2007	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

				e1¥
		Application No.	Applicant(s)	7
		09/306,688	BAYLEY ET AL.	
Office Ad	tion Summary	Examiner	Art Unit	
		Vernal U. Brown	2612	
The MAILING Period for Reply	DATE of this communication app	pears on the cover sheet with	the correspondence addres	SS
A SHORTENED STAND WHICHEVER IS LO - Extensions of time may be after SIX (6) MONTHS from the second for reply is sponsored for the second for reply within the second for reply within the second for reply received by the	ATUTORY PERIOD FOR REPLY NGER, FROM THE MAILING Downward and a variable under the provisions of 37 CFR 1.1 me the mailing date of this communication. ecified above, the maximum statutory period viset or extended period for reply will, by statute office later than three months after the mailingment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICA 36(a). In no event, however, may a reply will apply and will expire SIX (6) MONTHS a, cause the application to become ABANI	TION. be timely filed from the mailing date of this commu DONED (35 U.S.C. § 133).	·
Status				
2a)⊠ This action is I 3)□ Since this app	communication(s) filed on <u>24 O</u> FINAL. 2b) This lication is in condition for alloward rdance with the practice under E	action is non-final.	•	erits is
Disposition of Claims				
4a) Of the above 5) ☐ Claim(s) 6) ☒ Claim(s) <u>1,7-9</u> 7) ☐ Claim(s)	. <u>20-22,24-28,31 and 32</u> is/are re	wn from consideration.		
Application Papers				
10) The drawing(s) Applicant may n Replacement dr	on is objected to by the Examine filed on is/are: a) account account account and any objection to the awing sheet(s) including the correct claration is objected to by the Ex	epted or b) objected to by drawing(s) be held in abeyance. ion is required if the drawing(s)	. See 37 CFR 1.85(a). is objected to. See 37 CFR 1.	
Priority under 35 U.S.C	. § 119			
a) All b) So 1. Certified 2. Certified 3. Copies of applications.	nt is made of a claim for foreign (me * c) None of: copies of the priority documents of the certified copies of the priority documents of the certified copies of the priority documents on from the International Bureaud detailed Office action for a list	s have been received. s have been received in Appl rity documents have been red u (PCT Rule 17.2(a)).	lication No ceived in this National Stag	ge
Attachment(s) 1) Notice of References Cil 2) Notice of Draftsperson's	red (PTO-892) Patent Drawing Review (PTO-948)	4) Interview Sum Paper No(s)/M	mary (PTO-413) lail Date	
	tatement(s) (PTO/SB/08)		mal Patent Application	

DETAILED ACTION

This action is responsive to communication filed on October 24, 2006.

Response to Amendment

The examiner recognizes the amendment of claim 1.

Response to Arguments

Applicant's arguments filed October 24, 2006 have been fully considered but they are not persuasive.

Applicant argues on page 5 that the prior art of record fail to teach or suggest the output device is configured to provide the sensory perceptible output when the transponder is under power and not to provide the sensory perceptible output when the transponder is not under power. It is the examiner's position that Jaeger teaches a power source 110 connected to the visual indicator 120 (col. 3 lines 31-38) and the visual indicator is responsive to voltage drop across its terminal or the current flowing through it (col. 3 lines 55-66). The visual indicator therefore does not provide a perceptible output for indicating corrosion when the transponder is not under power.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 7-9, 20-22, 24-28, and 31-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Want et al U.S Patent 6008727 in view of Armstrong U.S Patent 5461385 and further in view of Jaeger US Patent 6564620.

Regarding claims 1 and 7, Want et al teaches an interactive radio frequency tag comprising a passive radio frequency transponder (col. 2 line 30), including an antenna (col. 2 line 34), an interface for receiving external stimulus and integrated circuit (col. 3 lines 10-15) responsive to external stimulus. Want et al. is however silent on teaching the integrated circuit is responsive to an external stimulus to irreversibly change the state of the transponder between a first active state in which the transponder provides a first active response and a second active state in which the transponder provides a second active response in response to an external stimulus. Armstrong in an art related RF/ID Transponder System Employing Multiple Transponders And A Sensor invention teaches a transponder having one or more integrated circuit responsive to an external stimulus to change the state of the transponder between a first active state in which the transponder provides a first active response and a second active state in which the transponder provides a second active response (col. 2 lines 45-54). Armstrong also teaches a switch 13 connecting the integrated circuit the interface 17 for receiving the external stimuli (col. 2 lines 25-35). Armstrong is also silent on teaching the environmental conditions cause an irreversible change and the transponder output a sensory-perceptible output indicating that the transponder has been exposed to the environmental condition. Jaeger in an art related corrosion sensor device invention teaches a transponder having a corrosion sensor in the form of an electrode and when the electrode is place in a corrosive environment, the corrosion of the electrode is detected and a visual display (sensory –perceptible) of the corrosive effect

experience by the environment is provided (col. 7 line 64-col. 8 line 11). The corrosion of the electrode is considered irreversible change. Jaeger teaches a power source 110 connected to the visual indicator 120 (col. 3 lines 31-38) and the visual indicator is responsive to voltage drop across its terminal or the current flowing through it (col. 3 lines 55-66). The visual indicator therefore does not provide a perceptible output for indicating corrosion when the transponder is not under power.

It would have been obvious to one of ordinary skill in the art to modify radio frequency tag Want et al. as disclosed by Armstrong in view of Jaeger because an external stimulus to irreversibly change the state of the transponder between a first active state in which the transponder provides a first active response and a second active state in which the transponder provides a second active response enables the transponder to provide different responses based on the external stimulus and detecting the irreversibly change provides further indication of the quantitative measurement of the environmental condition.

Regarding claim 8, Want et al. teaches a radio frequency tag apparatus giving audio or visual indication (col. 12 line 2-3).

Regarding claim 9, Want et al teaches that the output device generates a tactile signal (col. 2 line 54).

Regarding claim 20, Want et al. teaches the use of various environmental sensors including a transducer provided by a temperature sensor(col. 3 lines 10-17).

Regarding claim 21, Want et al teaches a radio frequency tag apparatus with an output device of a light emitting diode or an audio alert signal output (col. 12 lines 3-4). Speakers are typically used to output an audio alert signal.

Regarding claims 22 and 24, Want et al teaches an interactive radio frequency tag comprising a passive radio frequency transponder (col. 2 line 30), including an antenna (col. 2 line 34), an interface for receiving external stimulus and integrated circuit (col. 3 lines 10-15) responsive to external stimulus. Want et al. is however silent on teaching the integrated circuit is responsive to an external stimulus to irreversibly change the state of the transponder between a first active state in which the transponder provides a first active response and a second active state in which the transponder provides a second active response in response to an external stimulus. Armstrong in an art related RF/ID Transponder System Employing Multiple Transponders And A Sensor invention teaches a transponder having one or more integrated circuit responsive to an external stimulus to change the state of the transponder between a first · active state in which the transponder provides a first active response and a second active state in which the transponder provides a second active response (col. 2 lines 45-54). Armstrong also teaches a switch 13 connecting the integrated circuit the interface 17 for receiving the external stimuli (col. 2 lines 25-35). Armstrong is also silent on teaching the environmental conditions cause an irreversible change and the transponder output a sensory-perceptible output indicating that the transponder has been exposed to the environmental condition. Jaeger in an art related corrosion sensor device invention teaches a transponder having a corrosion sensor in the form of an electrode and when the electrode is place in a corrosive environment, the corrosion of the

electrode is detected and a visual display (sensory –perceptible) of the corrosive effect experience by the environment is provided (col. 7 line 64-col. 8 line 11). The corrosion of the electrode is considered an irreversible change. Jaeger teaches a power source 110 connected to the visual indicator 120 (col. 3 lines 31-38) and the visual indicator is responsive to voltage drop across its terminal or the current flowing through it (col. 3 lines 55-66). The visual indicator therefore does not provide a perceptible output for indicating corrosion when the transponder is not under power.

It would have been obvious to one of ordinary skill in the art to modify radio frequency tag Want et al. as disclosed by Armstrong in view of Jaeger because an external stimulus to irreversibly change the state of the transponder between a first active state in which the transponder provides a first active response and a second active state in which the transponder provides a second active response enables the transponder to provide different responses based on the external stimulus and detecting the irreversibly change provides further indication of the quantitative measurement of the environmental condition.

Regarding claim 24, Want et al. teaches a radio frequency tag apparatus giving audio or visual indication (col. 12 line 2-3).

Regarding claim 25, Want et al teaches that the output device generates a tactile signal (col. 2 line 54).

Application/Control Number: 09/306,688

Art Unit: 2612

Regarding claim 26, Want et al teaches a tactile output based on internal state of the RF tag (col. 8. lines 40-41).

Regarding claim 27, Want et al teaches an interface that includes a button (col. 5 line 23). Regarding claim 28, Want et al teaches a RF tag with an optionally attached sensor (560).

Page 7

Regarding claims 31-32, Want et al teaches an interactive radio frequency having an interface for receiving external stimulus and integrated circuit (col. 3 lines 10-15) but is silent on teaching providing a sensory-perceptible output indicating the transponder has been exposed to the environmental condition. Jaeger in an art related corrosion sensor device invention teaches a transponder having a corrosion sensor (col. 7 lines 10-25) and outputting a visible sensory – perceptible output indicating the transponder has been exposed to the environmental condition (col. 3 lines 20-32). The visible sensory –perceptible output indicate that the transponder is exposed to the environmental condition and further implying the absence of the indication that the transponder is not exposed to the environmental condition.

It would have been obvious to one of ordinary skill in the art to provide a sensoryperceptible output indicating the transponder has been exposed to the environmental condition because this enables the transponder to provide easily recognizable information based on the external stimulus

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vernal U. Brown whose telephone number is 571-272-3060. The examiner can normally be reached on 8:30-7:00 Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wendy Garber can be reached on 571-272-7308. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/306,688

Art Unit: 2612

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Vernal Brown

January 10, 2007

Page 9